



## CLEAN COPY OF SECTION

(i) a C<sub>1-12</sub> alkyl, straight chain or branched-chain, optionally mono- or polysubstituted by

A 4

-OH, -SH, -NH<sub>2</sub>, -NHC<sub>1-6</sub> alkyl, -N(C<sub>1-6</sub> alkyl)<sub>2</sub>, -NHC<sub>6-14</sub> aryl, -N(C<sub>6-14</sub> aryl)<sub>2</sub>, -N(C<sub>1-6</sub> alkyl)  
(C<sub>6-14</sub> aryl), -NHCOR<sup>6</sup>, -NO<sub>2</sub>, -CN, -F, -Cl, Br, -I, -O-C<sub>1-6</sub> alkyl, -O-C<sub>6-14</sub> aryl,  
-O(CO)R<sup>6</sup>, -S-C<sub>1-6</sub> alkyl, -S-C<sub>6-14</sub> aryl, -SOR<sup>6</sup>, -SO<sub>3</sub>H, -SO<sub>2</sub>R<sup>6</sup>, -OSO<sub>2</sub>C<sub>1-6</sub> alkyl, -OSO<sub>2</sub>C<sub>6-14</sub> aryl,  
-(CS)R<sup>6</sup>, -COOH, -(CO)R<sup>6</sup>, mono-, bi- or tricyclic saturated or mono- or polyunsaturated  
carbocycles having from 3 to 14 ring members, mono-, bi- or tricyclic saturated or mono- or  
polyunsaturated heterocycles having from 5 to 15 ring members and from 1 to 6 hetero atoms,  
which are suitable N, O and S, where the C<sub>6-14</sub> aryl groups and the included carbocyclic and  
heterocyclic substituents can optionally be mono- or polysubstituted by R<sup>4</sup>.